Neuroscience Letters, 171 (1994) 227–229
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Agnati, L.F., see Yang, S.-N., 27
Aimi, Y., see Yasuhara, O., 63, 73
Akazawa, C., Ohishi, H., Nakajima, Y., Okamoto, N., Shigemoto, R., Nakanishi, S. and Mizuno, N., Expression of mRNAs of L-AP4-sensitive metabotropic glutamate receptors (mGluR4, mGluR6, mGluR7) in the rat retina, 52
Alberghina, M., Lupo, G., Anfuso, C.D. and Infarinato, S., Differential transport of docosahexaenoate and palmitate through the blood–retina and blood–brain barrier of the rat, 133
Alm, P., see Holmqvist, B.I., 205
Andreose, J.S., Fumagalli, G. and Clementi, F., On the effect of ageing on the distribution of vasoactive intestinal polypeptide and calcitonin gene-related peptide in the rat brain, 167
Anfuso, C.D., see Alberghina, M., 133
Anthony, N.M., Holyoke Jr., C.W. and Sattelle, D.B., Blocking actions of picrotoxinin analogues on insect (*Periplaneta americana*) GABA receptors, 67
Asanuma, M., see Ogawa, N., 55
Auerbach, S.B., see Rutter, J.J., 183

Baptista, T., see Hernandez, L., 172
Basile, A.S., see Sei, Y., 179
Baudry, M. and Najm, I., Kainate-induced seizure activity stimulates the polyamine interconversion pathway in rat brain, 151
Bianchi, C., see Tanganelli, S., 201
Borner, M.M., see Sei, Y., 179
Braak, E., see Braak, H., 1
Braak, H., Braak, E. and Strothjohann, M., Abnormally phosphorylated tau protein related to the formation of neurofibrillary tangles and neuropil threads in the cerebral cortex of sheep and goat, 1

Chan, P.H., see Kinouchi, H., 163
Chio, C.-C., Ho, M.-T., Huang, C.-C., Jin, Y.-T. and Lin, M.-T., Hypervolemic hemodilution may protect the rat's striatal neurons from ischemic injury by reducing the extracellular dopamine, 5
Ciani, E. and Contestabile, A., Immunohistochemical localization of calbindin-D28K in telencephalic regions of microencephalic rats, 41
Clementi, F., see Andreose, J.S., 167
Contestabile, A., see Ciani, E., 41
Cowley, K.C. and Schmidt, B.J., Some limitations of ventral root recordings for monitoring locomotion in the in vitro neonatal rat spinal cord preparation, 142
Cowley, K.C. and Schmidt, B.J., A comparison of motor patterns induced by *N*-methyl-D-aspartate, acetylcholine and serotonin in the in vitro neonatal rat spinal cord, 147
Croset, M., see Fonlupt, P., 137

Daimon, T., see Sato, M., 97
de Carolis, A.S., see Diana, G., 113
Diana, G., Domenici, M.R., Loizzo, A., de Carolis, A.S. and Sagratella, S., Age and strain differences in rat place learning and hippocampal dentate gyrus frequency-potentiation, 113
Ding, Y.-Q., see Lü, Y., 70
Domenici, M.R., see Diana, G., 113
Donkelaar, H.J. ten, see Muñoz, A., 81
Dostert, P., see Naoi, M., 9
Doyle, C.A., Relationships between spinocervical tract neurons and descending catecholamine-containing axons in the cat, 217
Dubner, R., see Thomas, D.A., 101

Ekström, P., see Holmqvist, B.I., 205

Fahrenkrug, J., see Mikkelsen, J.D., 121
Ferraro, L., see Tanganelli, S., 201
Feuerstein, G., see Lysko, P.G., 77
Fior, D.R., see Yang, S.-N., 27
Fonlupt, P., Croset, M. and Lagarde, M., Incorporation of arachidonic and docosahexaenoic acids into phospholipids of rat brain membranes, 137
Fossom, L.H., see Sei, Y., 179
Frangione, B., see Ghiso, J., 213
Fukumoto, M., see Suzui, H., 192
Fumagalli, G., see Andreose, J.S., 167
Furukawa, Y., see Hirota, M., 49
Fuxe, K., see Tanganelli, S., 201
Fuxe, K., see Yang, S.-N., 27

Garcia-Osuna, M., see Greenamyre, J.T., 17
Gardella, J.E., see Ghiso, J., 213
Gauer, F., Masson-Pévet, M. and Pévet, P., The NMDA antagonist MK-801 blocks light effect on melatonin receptor density in rat suprachiasmatic nuclei, 24
Ghiso, J., Gardella, J.E., Liem, L., Gorevic, P.D. and Frangione, B., Characterization of a novel processing pathway for Alzheimer's amyloid β precursor protein, 213
González, A., see Muñoz, A., 81
Gonzalez, L., see Hernandez, L., 172
Gorevic, P.D., see Ghiso, J., 213
Goso, C., see Palma, C., 221
Gott, A.L., Mallon, B.S., Paton, A., Groome, N. and Rumsby, M.G., Rat brain glial cells in primary culture and subculture contain the δ, ε and ζ subspecies of protein kinase C as well as the conventional subspecies, 117
Gottberg, E., see Hernandez, L., 172
Greenamyre, J.T., Garcia-Osuna, M. and Greene, J.G., The endogenous cofactors, thioctic acid and dihydrolipoic acid, are neuroprotective against NMDA and malonic acid lesions of striatum, 17
Greene, J.G., see Greenamyre, J.T., 17
Groome, N., see Gott, A.L., 117
Gundlah, C., see Rutter, J.J., 183

Hannibal, J., see Mikkelsen, J.D., 121
Hashimoto, N., see Suzui, H., 192
Hatanaka, M., see Suzui, H., 192
Hayashi, H., see Hirota, M., 49
Hayashi, K., see Hirota, M., 49
Hedlund, P.B., see Yang, S.-N., 27
Hernandez, L., Gonzalez, L., Murzi, E., Páez, X., Gottberg, E. and Baptista, T., Testosterone modulates mesolimbic dopaminergic activity in male rats, 172
Hirota, M., Miyashita, S., Hayashi, H., Furukawa, Y. and Hayashi, K., pS2 gene especially expressed in the late G_1/S phase of mouse astrocytes, 49
Ho, M.-T., see Chio, C.-C., 5
Hoffer, B.J., see Hudson, J.L., 32
Hoffman, A., see Hudson, J.L., 32
Holmqvist, B.I., Östholm, T., Alm, P. and Ekström, P., Nitric oxide synthase in the brain of a teleost, 205
Holyoke Jr., C.W., see Anthony, N.M., 67
Huang, C.-C., see Chio, C.-C., 5
Hudson, J.L., Hoffman, A., Strömberg, I., Hoffer, B.J. and Moorhead, J.W., Allogeneic grafts of fetal dopamine neurons: behavioral indices of immunological interactions, 32

Ibata, Y., see Miyagawa, A., 13
Iijima, K., see Sato, M., 97
Imai, Y., see Takei, N., 59
Inase, M., see Tokuno, H., 159
Infarinato, S., see Alberghina, M., 133
Ishikawa, A., Kurihara, E. and Okada, Y., Excitatory effects of adenosine receptor agonists and antagonists on neurotransmission in guinea pig superior collicular slices, 129
Itoh, N., see Suzui, H., 192
Iwasaki, A., see Takei, N., 59

Jin, Y.-T., see Chio, C.-C., 5

Kawada, Y., see Ogawa, N., 55
Kawamata, T., see Yasuhara, O., 73
Kikuchi, H., see Suzui, H., 192
Kinouchi, H., Sharp, F.R., Chan, P.H., Koistinaho, J., Sagar, S.M. and Yoshimoto, T., Induction of NGFI-A mRNA following middle cerebral artery occlusion in rats: in situ hybridization study, 163
Kobayashi, M., see Saitoh, S., 155
Kohsaka, S., see Takei, N., 59
Koistinaho, J., see Kinouchi, H., 163
Kondo, Y., see Ogawa, N., 55
Kudoh, M. and Shibuki, K., Long-term potentiation in the auditory cortex of adult rats, 21
Kurihara, E., see Ishikawa, A., 129

Lagarde, M., see Fonlupt, P., 137
Lagercrantz, H., see Otsuka, H., 94
Larsen, P.J., see Mikkelsen, J.D., 121
Li, J.-S., see Lü, Y., 70
Liem, L., see Ghiso, J., 213
Lin, M.-T., see Chio, C.-C., 5
Lin, R.C.-S., see Sei, Y., 179
Lindahl, S.G.E., see Otsuka, H., 94
Loizzo, A., see Diana, G., 113
Lü, Y., Ding, Y.-Q., Qin, B.-Z. and Li, J.-S., The distribution and origin of axon terminals with NADPH diaphorase activity in the nucleus of the solitary tract of the rat, 70
Lupo, G., see Alberghina, M., 133
Lysko, P.G., Webb, C.L. and Feuerstein, G., Neuroprotective effects of carvedilol, a new antihypertensive, as a Na^+ channel modulator and glutamate transport inhibitor, 77

Mallon, B.S., see Gott, A.L., 117
Manzini, S., see Palma, C., 221
Maruyama, W., see Naoi, M., 9
Masson-Pévet, M., see Gauer, F., 24
McGeer, E.G., see Yasuhara, O., 63, 73
McGeer, P.L., see Yasuhara, O., 63, 73
Meulemans, A., Diffusion coefficients and half-lives of nitric oxide and *N*-nitroso-L-arginine in rat cortex, 89
Mikkelsen, J.D., Hannibal, J., Larsen, P.J. and Fahrenkrug, J., Pituitary adenylate cyclase activating peptide (PACAP) mRNA in the rat neocortex, 121
Miyagawa, A., Okamura, H. and Ibata, Y., Coexistence of oxytocin and NADPH-diaphorase in magnocellular neurons of the paraventricular and the supraoptic nuclei of the rat hypothalamus, 13
Miyamoto, S., see Nakamura, T., 197
Miyashita, S., see Hirota, M., 49
Mizuno, N., see Akazawa, C., 52
Moorhead, J.W., see Hudson, J.L., 32
Morales, C., see Vaquero, J., 37
Mori, A., see Ogawa, N., 55
Morin, A.M., see Stanboli, A., 209
Muñoz, A., Muñoz, M., González, A. and Donkelaar, H.J. ten, Spinothalamic projections in amphibians as revealed with anterograde tracing techniques, 81
Muñoz, M., see Muñoz, A., 81
Murzi, E., see Hernandez, L., 172

Nabetani, M., see Saitoh, M., 125
Najm, I., see Baudry, M., 151
Nakajima, Y., see Akazawa, C., 52
Nakamura, T., Tsuru, K. and Miyamoto, S., Regulation of Ca^{2+} concentration by second messengers in newt olfactory receptor cell, 197
Nakanishi, S., see Akazawa, C., 52
Nakao, H., see Takei, N., 59
Nakao, S., see Shiraishi, Y., 85
Naoi, M., Maruyama, W. and Dostert, P., Binding of 1,2(*N*)-dimethyl-6,7-dihydroxy-isoquinolinium ion to melanin: effects of ferrous and ferric ion on the binding, 9
Narváez, J.A., see Yang, S.-N., 27
Nishino, H., see Zhou, X.-R., 45
Noguchi, T., see Saitoh, S., 155

Ogawa, N., Asanuma, M., Kondo, Y., Kawada, Y., Yamamoto, M. and Mori, A., Differential effects of chronic L-DOPA treatment on lipid peroxidation in the mouse brain with or without pretreatment with 6-hydroxydopamine, 55
Ohishi, H., see Akazawa, C., 52
Ohsawa, K., see Takei, N., 59
Okada, Y., see Ishikawa, A., 129
Okada, Y., see Saitoh, M., 125
Okamoto, N., see Akazawa, C., 52
Okamura, H., see Miyagawa, A., 13
Onoda, N., see Sugitani, M., 175
Östholm, T., see Holmqvist, B.I., 205
Otsuka, H., Lindahl, S.G.E., Lagercrantz, H. and Yamamoto, Y., Effects of NMDA and non-NMDA receptor antagonists on inspiratory neurons in the in vitro brainstem–spinal cord preparation of newborn rat, 94
Oya, S., see Vaquero, J., 37

Páez, X., see Hernandez, L., 172
Palma, C., Goso, C. and Manzini, S., Different susceptibility to Neurokinin 1 receptor antagonists of Substance P and septide-induced Interleukin-6 release from U373 MG human astrocytoma cell line, 221
Paton, A., see Gott, A.L., 117
Pévet, P., see Gauer, F., 24
Pickard, G.E. and Tang, W.-X., Pineal photoreceptors rhythmically secrete melatonin, 109
Pulsinelli, W.A., see Xu, Z.C., 187

Qin, B.-Z., see Lü, Y., 70

Ruda, M.A., see Thomas, D.A., 101
Rumsby, M.G., see Gott, A.L., 117
Rutter, J.J., Gundlah, C. and Auerbach, S.B., Increase in extracellular serotonin produced by uptake inhibitors is enhanced after chronic treatment with fluoxetine, 183

Sagar, S.M., see Kinouchi, H., 163
Sagratella, S., see Diana, G., 113
Saitoh, M., Okada, Y. and Nabetani, M., Effect of mannose, fructose and lactate on the preservation of synaptic potentials in hippocampal slices, 125
Saitoh, S., Takamatsu, K., Kobayashi, M. and Noguchi, T., Immunohistochemical localization of neural visinin-like Ca^{2+}-binding protein 2 in adult rat brain, 155
Sato, M., Sugiyama, T., Daimon, T. and Iijima, K., Histochemical

evidence for abnormal copper distribution in the central nervous system of LEC mutant rat, 97
Sattelle, D.B., see Anthony, N.M., 67
Schmidt, B.J., see Cowley, K.C., 142, 147
Sei, Y., Von Lubitz, D.K.J.E., Basile, A.S., Borner, M.M., Lin, R.C.-S., Skolnick, P. and Fossom, L.H., Internucleosomal DNA fragmentation in gerbil hippocampus following forebrain ischemia, 179
Sharp, F.R., see Kinouchi, H., 163
Shibuki, K., see Kudoh, M., 21
Shigemoto, R., see Akazawa, C., 52
Shimizu, H., see Zhou, X.-R., 45
Shiraishi, Y. and Nakao, S., Projections of vertical eye movement-related and head rotation-related neurons in the medial mesodiencephalic junction to pontine reticular formation in cat, 85
Skolnick, P., see Sei, Y., 179
Stanboli, A. and Morin, A.M., Nitric oxide synthase in cerebrovascular endothelial cells is inhibited by brefeldin A, 209
Strömberg, I., see Hudson, J.L., 32
Strothjohann, M., see Braak, H., 1
Sugai, T., see Sugitani, M., 175
Sugitani, M., Sugai, T., Tanifuji, M. and Onoda, N., Signal propagation from piriform cortex to the endopiriform nucleus in vitro revealed by optical imaging, 175
Sugiyama, T., see Sato, M., 97
Suzui, H., Takahashi, J.A., Fukumoto, M., Hashimoto, N., Itoh, N., Hatanaka, M. and Kikuchi, H., Immunohistochemical study for basic fibroblast growth factor and fibroblast growth factor receptor I in pituitary adenomas, 192
Suzuki, T., see Zhou, X.-R., 45

Takahashi, J.A., see Suzui, H., 192
Takamatsu, K., see Saitoh, S., 155
Takei, N., Ohsawa, K., Imai, Y., Nakao, H., Iwasaki, A. and Kohsaka, S., Neurotrophic effects of annexin V on cultured neurons from embryonic rat brain, 59
Tang, W.-X., see Pickard, G.E., 109
Tanganelli, S., Ferraro, L., Bianchi, C. and Fuxe, K., 6-Hydroxydopamine treatment counteracts the reduction of cortical GABA release produced by the vigilance promoting drug modafinil in the awake freely moving guinea-pig, 201
Tanifuji, M., see Sugitani, M., 175
Thomas, D.A., Dubner, R. and Ruda, M.A., Neonatal capsaicin treatment in rats results in scratching behavior with skin damage: potential model of non-painful dysesthesia, 101
Tokuno, H. and Inase, M., Direct projections from the ventral premotor cortex to the hindlimb region of the supplementary motor area in the macaque monkey, 159
Tsuru, K., see Nakamura, T., 197

Vaquero, J., Morales, C., Zurita, M. and Oya, S., Gangliosides modulate the development of ethyl-nitrosourea induced brain tumors in rats, 37
Von Lubitz, D.K.J.E., see Sei, Y., 179

Webb, C.L., see Lysko, P.G., 77
Wu, C., Possible role of glutamatergic neurotransmission in regulating ethanol-evoked brain ascorbate release, 105

Xu, Z.C. and Pulsinelli, W.A., Responses of CA1 pyramidal neurons in rat hippocampus to transient forebrain ischemia: an in vivo intracellular recording study, 187

Yamamoto, M., see Ogawa, N., 55
Yamamoto, Y., see Otsuka, H., 94
Yang, S.-N., Fior, D.R., Hedlund, P.B., Narváez, J.A., Agnati, L.F. and Fuxe, K., Coinjections of NPY(1–36) or [Leu^{31},Pro^{34}]NPY with adrenaline in the nucleus tractus solitarius of the rat counteract the vasodepressor responses to adrenaline, 27
Yasuhara, O., Kawamata, T., Aimi, Y., McGeer, E.G. and McGeer, P.L., Two types of dystrophic neurites in senile plaques of Alzheimer disease and elderly non-demented cases, 73
Yasuhara, O., Aimi, Y., McGeer, E.G. and McGeer, P.L., Accumulation of amyloid precursor protein in brain lesions of patients with Pick disease, 63
Yoshimoto, T., see Kinouchi, H., 163

Zhou, X.-R., Suzuki, T., Shimizu, H. and Nishino, H., Amygdala kindling activates the phosphorylation of Ca^{2+}/calmodulin-dependent protein kinase II in rat hippocampus, 45
Zurita, M., see Vaquero, J., 37